



**THE WORLD'S FINEST
BRICKLAYER'S TOOLS**

FORGED STEEL

The blade and shank are forged from a single piece of uniquely formulated carbon steel for extra toughness. Forging also assures product consistency.

HEAT TEMPERED

Blades are heat tempered with a special time-tested process to ensure uniform blade hardness.

FLEXIBILITY

W. Rose™ features a tapered ground blade for flexibility. Blades are made in standard or limber weights.

STRENGTH

The forged steel blade and shank offer strength and integrity with no internal voids created by welding pieces together. Forged steel will not weaken or crack.



HAND POLISHED

Each blade is carefully hand polished to keep mortar centered on the blade and resist sliding.

SHANK ANGLE

The standard shank angle is specifically balanced to reduce wrist fatigue. Many of our popular trowel patterns are also available in low lift shanks.

INSPECTION

Every trowel is inspected, keeping in mind the high quality standards of the W. Rose™ legacy. They also undergo testing for blade hardness and consistent size.

HANDLE STYLES

Four styles of handles are available on most W. Rose™ trowels - ProForm® soft grip, leather, two sizes of wood and plastic. All handles are specially contoured for a comfortable grip.



ROSE TOOLS ENDURE


For over 200 years W. Rose™ has been the premier brand for the highest quality of masonry tools. William Rose established the company in 1798 near Philadelphia in Blockley Township, Pennsylvania. This blacksmith shop spent much of the early 1800s making tools, cavalry sabers and officer swords for the U.S. Army. In 1864 W. Rose™ began specializing in quality edged tools, knives and their signature brick trowel.

In 2001, Kraft Tool Co.® acquired W. Rose™ and remains dedicated to maintaining the legendary quality of its masonry products.

**As they have for 216 years,
Rose Tools Endure**



W. Rose Online



*Left: A hanging W. Rose™ store sign from the 1930s
Right: W. Rose™ Book of Tools from 1929*

NARROW LONDON PATTERN

This diamond-heeled blade carries mortar away from the handle. The narrow size is good for general masonry and brick projects. The Narrow London blade easily spreads mortar for projects such as veneering.



See page 87 for
limber weight
trowel blades



ProForm® Soft Grip Handle

Standard Shank - Narrow London

No.	Blade	Heel Width
RO116-9SH	9"	4-3/16"
RO116-9-1/2SH	9-1/2"	4-1/4"
RO116-10SH	10"	4-1/2"
RO116-10-1/2SH	10-1/2"	4-5/8"
RO116-11SH	11"	4-3/4"
RO116-11-1/2SH	11-1/2"	4-7/8"
RO116-12SH	12"	5"
RO116-12-1/2SH	12-1/2"	5-1/4"
RO116-13SH	13"	5-3/8"



MADE IN THE USA
SINCE 1798



Wood Handle

Standard Shank - Narrow London

No.	Blade	Heel Width	Handle Size
RO116-9	9"	4-3/16"	6"
RO116-9-1/2	9-1/2"	4-1/4"	6"
RO116-10	10"	4-1/2"	6"
RO116-10-1/2	10-1/2"	4-5/8"	6"
RO116-11	11"	4-3/4"	6"
RO116-11-1/2	11-1/2"	4-7/8"	6"
RO116-12	12"	5"	6"
RO116-12-1/2	12-1/2"	5-1/4"	6"
RO116-13	13"	5-3/8"	6"
RO416-9	9"	4-3/16"	5"
RO416-9-1/2	9-1/2"	4-1/4"	5"
RO416-10	10"	4-1/2"	5"
RO416-10-1/2	10-1/2"	4-5/8"	5"
RO416-11	11"	4-3/4"	5"
RO416-11-1/2	11-1/2"	4-7/8"	5"
RO416-12	12"	5"	5"
RO416-12-1/2	12-1/2"	5-1/4"	5"
RO416-13	13"	5-3/8"	5"



Low Lift Shanks

Low lift shank trowels have a lower handle angle as preferred by some masons. Comfortable feel for your hand and wrist.

Low Lift Shank - Wood Handle Narrow London

No.	Blade	Heel Width	Handle Size
RO186-9	9"	4-3/16"	6"
RO186-9-1/2	9-1/2"	4-1/4"	6"
RO186-10	10"	4-1/2"	6"
RO186-10-1/2	10-1/2"	4-5/8"	6"
RO186-11	11"	4-3/4"	6"
RO186-11-1/2	11-1/2"	4-7/8"	6"
RO186-12	12"	5"	6"
RO186-12-1/2	12-1/2"	5-1/4"	6"
RO186-13	13"	5-3/8"	6"
RO486-9	9"	4-3/16"	5"
RO486-9-1/2	9-1/2"	4-1/4"	5"
RO486-10	10"	4-1/2"	5"
RO486-10-1/2	10-1/2"	4-5/8"	5"
RO486-11	11"	4-3/4"	5"
RO486-11-1/2	11-1/2"	4-7/8"	5"
RO486-12	12"	5"	5"
RO486-12-1/2	12-1/2"	5-1/4"	5"
RO486-13	13"	5-3/8"	5"

Leather Handle

Standard Shank - Narrow London

No.	Blade	Heel Width
RO316-9	9"	4-3/16"
RO316-9-1/2	9-1/2"	4-1/4"
RO316-10	10"	4-1/2"
RO316-10-1/2	10-1/2"	4-5/8"
RO316-11	11"	4-3/4"
RO316-11-1/2	11-1/2"	4-7/8"
RO316-12	12"	5"
RO316-12-1/2	12-1/2"	5-1/4"
RO316-13	13"	5-3/8"




Low Lift Shank - Leather Handle Narrow London

No.	Blade	Heel Width
RO386-9	9"	4-3/16"
RO386-9-1/2	9-1/2"	4-1/4"
RO386-10	10"	4-1/2"
RO386-10-1/2	10-1/2"	4-5/8"
RO386-11	11"	4-3/4"
RO386-11-1/2	11-1/2"	4-7/8"
RO386-12	12"	5"
RO386-12-1/2	12-1/2"	5-1/4"
RO386-13	13"	5-3/8"

Plastic Handle

Standard Shank - Narrow London

No.	Blade	Heel Width
RO1416-9	9"	4-3/16"
RO1416-9-1/2	9-1/2"	4-1/4"
RO1416-10	10"	4-1/2"
RO1416-10-1/2	10-1/2"	4-5/8"
RO1416-11	11"	4-3/4"
RO1416-11-1/2	11-1/2"	4-7/8"
RO1416-12	12"	5"
RO1416-12-1/2	12-1/2"	5-1/4"
RO1416-13	13"	5-3/8"



Low Lift Shank - Plastic Handle Narrow London

No.	Blade	Heel Width
RO1486-9	9"	4-3/16"
RO1486-9-1/2	9-1/2"	4-1/4"
RO1486-10	10"	4-1/2"
RO1486-10-1/2	10-1/2"	4-5/8"
RO1486-11	11"	4-3/4"
RO1486-11-1/2	11-1/2"	4-7/8"
RO1486-12	12"	5"
RO1486-12-1/2	12-1/2"	5-1/4"
RO1486-13	13"	5-3/8"

WIDE LONDON PATTERN

The wide diamond-shaped blade carries the mortar towards the blade tip. The Wide London pattern holds more mortar making it a popular pattern for concrete block and stonework.



ProForm® Soft Grip Handle

Standard Shank - Wide London

No.	Blade	Heel Width
RO112-9SH	9"	5-1/4"
RO112-9-1/2SH	9-1/2"	5-3/8"
RO112-10SH	10"	5-1/2"
RO112-10-1/2SH	10-1/2"	5-1/2"
RO112-11SH	11"	5-5/8"
RO112-11-1/2SH	11-1/2"	5-3/4"
RO112-12SH	12"	5-13/16"



MADE IN THE USA
SINCE 1798



Wood Handle

Standard Shank - Wide London

No.	Blade	Heel Width	Handle Size
RO112-9	9"	5-1/4"	6"
RO112-9-1/2	9-1/2"	5-3/8"	6"
RO112-10	10"	5-1/2"	6"
RO112-10-1/2	10-1/2"	5-1/2"	6"
RO112-11	11"	5-5/8"	6"
RO112-11-1/2	11-1/2"	5-3/4"	6"
RO112-12	12"	5-13/16"	6"
RO412-9	9"	5-1/4"	5"
RO412-9-1/2	9-1/2"	5-3/8"	5"
RO412-10	10"	5-1/2"	5"
RO412-10-1/2	10-1/2"	5-1/2"	5"
RO412-11	11"	5-5/8"	5"
RO412-11-1/2	11-1/2"	5-3/4"	5"
RO412-12	12"	5-13/16"	5"



Low Lift Shanks

Low lift shank trowels have a lower handle angle as preferred by some masons. Comfortable feel for your hand and wrist.

Low Lift Shank - Wood Handle Wide London

No.	Blade	Heel Width	Handle Size
RO182-9	9"	5-1/4"	6"
RO182-9-1/2	9-1/2"	5-3/8"	6"
RO182-10	10"	5-1/2"	6"
RO182-10-1/2	10-1/2"	5-1/2"	6"
RO182-11	11"	5-5/8"	6"
RO182-11-1/2	11-1/2"	5-3/4"	6"
RO182-12	12"	5-13/16"	6"
RO482-9	9"	5-1/4"	5"
RO482-9-1/2	9-1/2"	5-3/8"	5"
RO482-10	10"	5-1/2"	5"
RO482-10-1/2	10-1/2"	5-1/2"	5"
RO482-11	11"	5-5/8"	5"
RO482-11-1/2	11-1/2"	5-3/4"	5"
RO482-12	12"	5-13/16"	5"

Leather Handle

Standard Shank - Wide London

No.	Blade	Heel Width
RO312-9	9"	5-1/4"
RO312-9-1/2	9-1/2"	5-3/8"
RO312-10	10"	5-1/2"
RO312-10-1/2	10-1/2"	5-1/2"
RO312-11	11"	5-5/8"
RO312-11-1/2	11-1/2"	5-3/4"
RO312-12	12"	5-13/16"




Low Lift Shank - Leather Handle Wide London

No.	Blade	Heel Width
RO382-9	9"	5-1/4"
RO382-9-1/2	9-1/2"	5-3/8"
RO382-10	10"	5-1/2"
RO382-10-1/2	10-1/2"	5-1/2"
RO382-11	11"	5-5/8"
RO382-11-1/2	11-1/2"	5-3/4"
RO382-12	12"	5-13/16"

Plastic Handle

Standard Shank - Wide London

No.	Blade	Heel Width
RO1412-9	9"	5-1/4"
RO1412-9-1/2	9-1/2"	5-3/8"
RO1412-10	10"	5-1/2"
RO1412-10-1/2	10-1/2"	5-1/2"
RO1412-11	11"	5-5/8"
RO1412-11-1/2	11-1/2"	5-3/4"
RO1412-12	12"	5-13/16"



Low Lift Shank - Plastic Handle Wide London

No.	Blade	Heel Width
RO1482-9	9"	5-1/4"
RO1482-9-1/2	9-1/2"	5-3/8"
RO1482-10	10"	5-1/2"
RO1482-10-1/2	10-1/2"	5-1/2"
RO1482-11	11"	5-5/8"
RO1482-11-1/2	11-1/2"	5-3/4"
RO1482-12	12"	5-13/16"

PHILADELPHIA PATTERN

The square heel on this trowel holds the most mortar and has become the most popular trowel to use with block.



MADE IN THE USA
SINCE 1798



ProForm® Soft Grip Handle

Standard Shank - Philadelphia

No.	Blade	Heel Width
RO110-9SH	9"	5-1/8"
RO110-9-1/2SH	9-1/2"	5-3/16"
RO110-10SH	10"	5-1/4"
RO110-10-1/2SH	10-1/2"	5-3/8"
RO110-11SH	11"	5-7/16"
RO110-11-1/2SH	11-1/2"	5-1/2"
RO110-12SH	12"	5-9/16"



6" Wood Handle

Standard Shank - Philadelphia

No.	Blade	Heel Width
RO110-9	9"	5-1/8"
RO110-9-1/2	9-1/2"	5-3/16"
RO110-10	10"	5-1/4"
RO110-10-1/2	10-1/2"	5-3/8"
RO110-11	11"	5-7/16"
RO110-11-1/2	11-1/2"	5-1/2"
RO110-12	12"	5-9/16"



Leather Handle

Standard Shank - Philadelphia

No.	Blade	Heel Width
RO310-9	9"	5-1/8"
RO310-9-1/2	9-1/2"	5-3/16"
RO310-10	10"	5-1/4"
RO310-10-1/2	10-1/2"	5-3/8"
RO310-11	11"	5-7/16"
RO310-11-1/2	11-1/2"	5-1/2"
RO310-12	12"	5-9/16"



Plastic Handle

Standard Shank - Philadelphia

No.	Blade	Heel Width
RO1410-9	9"	5-1/8"
RO1410-9-1/2	9-1/2"	5-3/16"
RO1410-10	10"	5-1/4"
RO1410-10-1/2	10-1/2"	5-3/8"
RO1410-11	11"	5-7/16"
RO1410-11-1/2	11-1/2"	5-1/2"
RO1410-12	12"	5-9/16"



W. ROSE LIMBER BLADES

The same W. Rose™ quality with a more flexible blade. Available in our most popular blade patterns, sizes and handles.

NARROW LONDON

Standard Shank, Limber Blade

ProForm® Soft Grip Handle

No.	Blade	Heel Width
RO116-10LSH	10"	4-1/2"
RO116-11LSH	11"	4-3/4"
RO116-11 1/2LSH	11-1/2"	4-7/8"
RO116-12LSH	12"	5"
RO116-13LSH	13"	5-3/8"

6" Wood Handle

No.	Blade	Heel Width
RO116-10L	10"	4-1/2"
RO116-11L	11"	4-3/4"
RO116-11 1/2L	11-1/2"	4-7/8"
RO116-12L	12"	5"
RO116-13L	13"	5-3/8"

Leather Handle

No.	Blade	Heel Width
RO316-10L	10"	4-1/2"
RO316-11L	11"	4-3/4"
RO316-11 1/2L	11-1/2"	4-7/8"
RO316-12L	12"	5"
RO316-13L	13"	5-3/8"

WIDE LONDON

New

Standard Shank, Limber Blade

ProForm® Soft Grip Handle

No.	Blade	Heel Width
RO112-10LSH	10"	5-1/2"
RO112-11LSH	11"	5-5/8"
RO112-11 1/2LSH	11-1/2"	5-3/4"
RO112-12LSH	12"	5-13/16"

6" Wood Handle

No.	Blade	Heel Width
RO112-10L	10"	5-1/2"
RO112-11L	11"	5-5/8"
RO112-11 1/2L	11-1/2"	5-3/4"
RO112-12L	12"	5-13/16"

Leather Handle

No.	Blade	Heel Width
RO312-10L	10"	5-1/2"
RO312-11L	11"	5-5/8"
RO312-11 1/2L	11-1/2"	5-3/4"
RO312-12L	12"	5-13/16"

PHILADELPHIA

New

Standard Shank, Limber Blade

ProForm® Soft Grip Handle

No.	Blade	Heel Width
RO110-10LSH	10"	5-1/4"
RO110-11LSH	11"	5-7/16"
RO110-11 1/2LSH	11-1/2"	5-1/2"
RO110-12LSH	12"	5-9/16"

6" Wood Handle

No.	Blade	Heel Width
RO110-10L	10"	5-1/4"
RO110-11L	11"	5-7/16"
RO110-11 1/2L	11-1/2"	5-1/2"
RO110-12L	12"	5-9/16"

Leather Handle

No.	Blade	Heel Width
RO310-10L	10"	5-1/4"
RO310-11L	11"	5-7/16"
RO310-11 1/2L	11-1/2"	5-1/2"
RO310-12L	12"	5-9/16"



WIDE HEEL BLADE PATTERN

Wide heel is useful when working on thick walls



6" Wood Handle

Standard Shank - Wide Heel

No.	Blade	Heel Width
RO221-10	10"	6"
RO221-10-1/2	10-1/2"	6"
RO221-11	11"	6"
RO221-11-1/2	11-1/2"	6"
RO221-12	12"	6-1/8"

Leather Handle

Standard Shank - Wide Heel

No.	Blade	Heel Width
RO321-10	10"	6"
RO321-10-1/2	10-1/2"	6"
RO321-11	11"	6"
RO321-11-1/2	11-1/2"	6"
RO321-12	12"	6-1/8"

Plastic Handle

Standard Shank - Wide Heel

No.	Blade	Heel Width
RO1421-10	10"	6"
RO1421-10-1/2	10-1/2"	6"
RO1421-11	11"	6"
RO1421-11-1/2	11-1/2"	6"
RO1421-12	12"	6-1/8"



ROUND HEEL BLADE PATTERN

Rounded heel has no corners to catch the mason's line



6" Wood Handle

Standard Shank - Round Heel

No.	Blade	Heel Width
RO113-10	10"	5"
RO113-10-1/2	10-1/2"	5-1/16"
RO113-11	11"	5-1/8"
RO113-11-1/2	11-1/2"	5-1/4"
RO113-12	12"	5-5/16"

Leather Handle

Standard Shank - Round Heel

No.	Blade	Heel Width
RO313-10	10"	5"
RO313-10-1/2	10-1/2"	5-1/16"
RO313-11	11"	5-1/8"
RO313-11-1/2	11-1/2"	5-1/4"
RO313-12	12"	5-5/16"

Plastic Handle

Standard Shank - Round Heel

No.	Blade	Heel Width
RO1413-10	10"	5"
RO1413-10-1/2	10-1/2"	5-1/16"
RO1413-11	11"	5-1/8"
RO1413-11-1/2	11-1/2"	5-1/4"
RO1413-12	12"	5-5/16"

SPECIALTY TROWELS

SOLD IN
CARTONS OF 6

Blade and shank forged as one piece. Unique heat tempering process for hardness and strength. Hand polished for perfect flexibility.

Brick Weight Large Tang Pointing Trowel

Standard Shank

No.	Blade	Heel Width	Handle
RO50W	7"	3-3/8"	5" Wood
RO50L	7"	3-3/8"	5-1/2" Leather

RO50

Tile Trowel

Standard Shank

No.	Blade	Heel Width	Handle
RO75	7"	3-3/16"	5" Wood
RO55	7-1/2"	4-7/16"	5" Wood

RO75

RO55

Sewer Trowel

Standard Shank

No.	Blade	Heel Width	Handle
RO427-9 1/2	9-1/2"	6"	5" Wood

RO427

Pumpkin Seed Trowel

Standard Shank

No.	Blade	Heel Width	Handle
RO414-9	9"	4-3/4"	5" Wood

RO414-9

Mud Trowel

Standard Shank

No.	Blade	Heel Width	Handle
RO6302	7-1/2"	5-3/8"	6" Wood

RO6302

Buttering Trowel

Standard Shank

No.	Blade	Heel Width	Handle
RO74	7-1/2"	3-1/2"	5" Wood

RO74

Bucket Trowel

Standard Shank

No.	Blade	Heel Width	Handle
RO6301	8"	5-3/8"	6" Wood

RO6301

Gauging Trowel

Standard Shank

No.	Blade	Handle
RO118-9 1/2	9-1/2"	5" Wood
RO118-10	10"	5" Wood

RO118

POINTING & MARGIN TROWELS

Forged from a single piece of uniquely formulated steel. Long lasting with a comfortable weight and flexibility to the blade. Heat treatment produces a uniform hardness for scraping and digging. Pointing and Margin trowels come with smooth wood or comfortable leather handles.

Margin Trowels

Wood Handle

No.	Size
RO58-5	5" x 2"
RO58-6	6" x 2"
RO58-8	8" x 2"

Leather Handle

No.	Size
RO58-5L	5" x 2"
RO58-6L	6" x 2"
RO58-8L	8" x 2"



Pointing Trowels

Wood Handle

No.	Size
RO50-5	5" x 2-1/2"
RO50-6	6" x 2-3/4"
RO50-7	7" x 3-3/8"

Leather Handle

No.	Size
RO50-5L	5" x 2-1/2"
RO50-6L	6" x 2-3/4"
RO50-7L	7" x 3-3/8"



JOINTERS & SLED RUNNERS

Special heat tempering process for hardness and long wear. Hand polished for a smooth, perfect joint.

Sold in cartons of (12)



End View



Convex Jointer

- Creates an inverted rounded impression in the mortar joint
- Most popular joint in the US

No.	Size
RO5121-3/8x1/2	3/8" x 1/2"
RO5121-1/2x5/8	1/2" x 5/8"
RO5121-5/8x3/4	5/8" x 3/4"
RO5121-3/4x7/8	3/4" x 7/8"
RO5121-7/8x1	7/8" x 1"
RO5121-1x1-1/8	1" x 1-1/8"
RO5121-1-1/8x1-1/4	1-1/8" x 1-1/4"

Sold in cartons of (12)



End View



Concave Jointer

- Creates a beaded protruding joint
- Very weathertight

No.	Size
RO5321-3/8x1/2	3/8" x 1/2"
RO5321-1/2x5/8	1/2" x 5/8"
RO5321-5/8x3/4	5/8" x 3/4"
RO5321-3/4x7/8	3/4" x 7/8"
RO5321-7/8x1	7/8" x 1"
RO5321-1x1-1/8	1" x 1-1/8"

Sold in cartons of (12)



End View



Flat Slicker

- Creates a smooth flush joint
- Prohibits moisture from entering the joint
- Ideal for exteriors
- Great for tucking mortar into the joints.

No.	Size
RO5211-1/4x3/8	1/4" x 3/8"
RO5211-3/8x1/2	3/8" x 1/2"
RO5211-1/2x5/8	1/2" x 5/8"
RO5211-5/8x3/4	5/8" x 3/4"
RO5211-3/4x7/8	3/4" x 7/8"
RO5211-7/8x1	7/8" x 1"
RO5211-1x1-1/8	1" x 1-1/8"
RO5211-1-1/8x1-1/4	1-1/8" x 1-1/4"

Sold in cartons of (12)



End View




Grapevine Jointer

- Creates shallow joints with an indented line, making it appear deeper
- Popular in colonial period brickwork and masonry restoration

No.	Size
RO5150	5/8" x 3/4"
RO5151	1/2" x 5/8"

Sold in cartons of (12)



End View



Bullhorn Jointer

- Great for touch-ups and compressing mortar

No.	Size (Large End)
RO5042-1/4	1/4"
RO5042-3/8	3/8"
RO5042-1/2	1/2"
RO5042-5/8	5/8"
RO5042-3/4	3/4"
RO5042-7/8	7/8"

Sold in cartons of (12)



End View



"V" Jointer

- Creates a rustic appearance on rough and matte finish brick
- V shape creates a sense of depth in the joint

No.	Size
RO5121-5/8V	5/8" x 5/8"

Sled Runners

- Creates an inverted rounded impression in the mortar joint
- Quickly and efficiently make long, straight and even joints
- Perfect for concrete block walls

A) Convex Loop Sled Runner


No.	Size	Length
RO5140-3/8	3/8"	17"
RO5140-1/2	1/2"	17"
RO5140-5/8	5/8"	17"
RO5140-3/4	3/4"	17"

B) Convex Mounting Sled Runner

No.	Size	Length
RO5141-1/2	1/2"	17-5/8"
RO5141-5/8	5/8"	17-5/8"
RO5141-3/4	3/4"	17-5/8"

Sold in cartons of (6)

End View



Professional Bonded Braided Nylon Line


Premium Quality

Super Tough - Will Not Sag

W. Rose™ professional quality, super tough, super strong. Bonded for better knot holding and abrasion resistance. 35% stronger than regular mason's line. 216 lb. test.

Standard Shank - Wide Heel

No.	Size	Color
RO685	685'	Yellow & Black
RO686	685'	Orange & Black
RO687	685'	"All American" Red, White & Blue
RO688	685'	"Camo" Green, Black & Brown
RO689	685'	Orange, Black & Gold



Yellow & Black Orange & Black "All American" Red, White & Blue "Camo" Green, Black & Brown Orange, Black & Gold

Brick Hammer

Properly balanced for great leverage. Fitted with wood handle.

No.	Size
RO3131-24	24 oz. Head



Carbide-Tipped Tile Hammer

5/8" polished hammer head face on a 8 oz. hammer head. Fitted with a smooth 10" solid wood handle.

Carbide-Tipped

No.	Head Weight	Face Size
RO3122-5/8C	8 oz.	5/8"

Without Carbide

No.	Head Weight	Face Size
RO3122-5/8	8 oz.	5/8"
RO3122-3/4	10 oz.	3/4"



Line Pins

Precision forged, heavy-duty steel line pins. Hand polished. Sold individually.

No.	Description
RO2122	Individual Steel Line Pin



Available in cartons of (12)

Premium Professional Level with Case

Professional Quality

This classic masonry level is made in the USA by American craftsmen. This 3-piece Walnut/Maple framed level provides accuracy up to .015" per inch. Stainless steel binding and end caps surround the level and promote wear. Precisely set yellow, bent vials increase visibility and accuracy. Clear 1/8" thick tempered glass lenses are replaceable. Walnut/Maple level sold with protective case.

No.	Size
RO24	24"
RO48	48"



Sold in cartons of (6)

W. Rose™ Replacement Trowel Handles

ProForm® Handle - RO1000

Unique soft textured contoured 6" ProForm® handle. Tough, rugged and well-balanced, with hard urethane endcap for tamping. (US Patent #D508638)

6" Wood Handle - RO100

5" Wood Handle - RO400

Smooth comfortable second-growth hardwood handle fitted with steel ferrule.

Leather Handle - RO300

5-1/2" seasoned wood handle wrapped with genuine leather to provide a smooth comfortable grip. Fitted with steel ferrule. Helps absorb moisture from sweat.

Plastic Handle - RO1400

Clear amber colored 5-1/4" plastic handle. Tough and rugged handle will not mushroom from tamping bricks or concrete blocks.



Ceremonial Trowels

Ideal for retirements, award presentations and other special occasions

No.	Description
RO316-10G	Gold
RO316-10C	Chrome

